


# INFRARED QUARTZ Heater Series



**NSE-150A1**  
Quartz heater

**NSE-150A5**  
Carbon heater

- POWER: 1500W
- SIZE: 545X85(190)X440mm
- CARTON SIZE: 600X160X480mm
- 40HQ: 1400pcs



**NSEA-150A1-1**  
Quartz heater

**NSEA-150A5-1**  
Carbon heater

- POWER: 1500W
- SIZE: 545X85(190)X440mm
- CARTON SIZE: 600X160X480mm
- 40HQ: 1400pcs



**NSBK-300N**

- G.W/N.W: 10KG/9.2KG
- POWER: 3000W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK/WHITE
- SIZE: 755x250x835mm
- 40HQ: 423PCS



**NSBK-220A21**  
Quartz Heating Element

**NSBK-220A25**  
Carbon Heating Element

- G.W/N.W: 5.8KG/4.8KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK/WHITE
- SIZE: 570x180x590mm
- 40HQ: 1040PCS



**NSBK-220A-E**

- G.W/N.W: 5.8KG/4.8KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK/WHITE
- SIZE: 570x180x590mm
- 40HQ: 1040PCS



**NSBK-220B-E**

- G.W/N.W: 6.5KG/5.5KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK&RED
- SIZE: 660x180x590mm
- 40HQ: 930PCS



**NSBK-220B21**  
Quartz Heating Element

**NSBK-220B25**  
Carbon Heating Element

- G.W/N.W: 6.5KG/5.5KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK&RED
- SIZE: 660x180x590mm
- 40HQ: 930PCS



**NSBK-240GC21F**  
Quartz Heating Element

**NSBK-240GC25F**  
Carbon Heating Element

- G.W/N.W: 6.2KG/5.4KG
- POWER: 2400W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK&RED
- SIZE: 685x245x580mm
- 40HQ: 695PCS



**NSBK-220E-E**

- G.W/N.W: 5.8KG/4.8KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK/WHITE
- SIZE: 580x180x590mm
- 40HQ: 1040PCS



**NSBK-220M-E**

- G.W/N.W: 6.2KG/5.4KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: WHITE-GRAY
- SIZE: 685x245x580mm
- 40HQ: 695PCS



**NSBK-220D21**  
Quartz Heating Element

**NSBK-220D25**  
Carbon Heating Element

- G.W/N.W: 6.2KG/5.4KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK&RED
- SIZE: 685x245x580mm
- 40HQ: 695PCS



**NSBK-220E21**  
Quartz Heating Element

**NSBK-220E25**  
Carbon Heating Element

- G.W/N.W: 5.8KG/4.8KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK/WHITE
- SIZE: 580x180x590mm
- 40HQ: 1040PCS



**NSBK-220H-E**

- G.W/N.W: 5.1KG/4.1KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK&RED
- SIZE: 530x180x580mm
- 40HQ: 1200PCS



**NSBK-220H-E1**

- G.W/N.W: 5.1KG/4.1KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK/WHITE
- SIZE: 530x180x580mm
- 40HQ: 1200PCS



**NSBK-220F21**  
Quartz Heating Element

**NSBK-220F25**  
Carbon Heating Element

- G.W/N.W: 6.5KG/5.5KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK&ORANGE
- SIZE: 660x180x590mm
- 40HQ: 930PCS



**NSBK-220G21**  
Quartz Heating Element

**NSBK-220G25**  
Carbon Heating Element

- G.W/N.W: 6.2KG/5.4KG
- POWER: 2200W
- WATERPROOF GRADE: IPX4
- COLOR: BLACK&ORANGE
- SIZE: 685x245x580mm
- 40HQ: 695PCS

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier



# INFRARED QUARTZ Heater Series

# PANEL Heater Series



**NSBK-220H21**  
Quartz Heating Element  
**NSBK-220H25**  
Carbon Heating Element

G.W/N.W: 5.1KG/4.1KG  
POWER: 2200W  
WATERPROOF GRADE: IPX4  
COLOR: BLACK&ORANGE  
SIZE: 530x180x580mm  
40HQ: 1200PCS



**NSBK-150J21**  
Quartz Heating Element  
**NSBK-150J25**  
Carbon Heating Element

G.W/N.W: 4.1KG/3.1KG  
POWER: 1500W  
WATERPROOF GRADE: IPX4  
COLOR: BLACK&ORANGE  
SIZE: 530x180x440mm  
40HQ: 1580PCS



**NSBK-220M21**  
Quartz Heating Element  
**NSBK-220M25**  
Carbon Heating Element

G.W/N.W: 6.2KG/5.4KG  
POWER: 2200W  
WATERPROOF GRADE: IPX4  
COLOR: RED&BLACK  
SIZE: 685x245x580mm  
40HQ: 695PCS



**NSBK-220A21-1**  
Quartz Heating Element  
**NSBK-220A25-1**  
Carbon Heating Element

G.W/N.W: 5.8KG/4.8KG  
POWER: 2200W  
WATERPROOF GRADE: IPX4  
COLOR: BLACK  
SIZE: 570x180x590mm  
40HQ: 1040PCS



**NSBK-220H21-1**  
Quartz Heating Element  
**NSBK-220H25-1**  
Carbon Heating Element

G.W/N.W: 5.1KG/4.1KG  
POWER: 2200W  
WATERPROOF GRADE: IPX4  
COLOR: WHITE  
SIZE: 530x180x580mm  
40HQ: 1200PCS



**NSBK-220H21-2**  
Quartz Heating Element  
**NSBK-220H25-2**  
Carbon Heating Element

G.W/N.W: 5.1KG/4.1KG  
POWER: 2200W  
WATERPROOF GRADE: IPX4  
COLOR: WHITE  
SIZE: 530x180x580mm  
40HQ: 1200PCS



**NSBK-220B21-1**  
Quartz Heating Element  
**NSBK-220B25-1**  
Carbon Heating Element

G.W/N.W: 6.5KG/5.5KG  
POWER: 2200W  
WATERPROOF GRADE: IPX4  
COLOR: BLACK&RED  
SIZE: 660x180x590mm  
40HQ: 930PCS



**NSBK-220Y21**  
Quartz Heating Element  
**NSBK-220Y25**  
Carbon Heating Element

G.W/N.W: 5.1KG/4.1KG  
POWER: 2200W  
WATERPROOF GRADE: IPX4  
COLOR: BLACK&ORANGE  
SIZE: 540x180x580mm  
40HQ: 1180PCS



**NSCA-200SD**  
Digital Type Convection Heater

G.W/N.W: 5.5KG/4.5KG  
POWER: 2000W  
SIZE: 800X140X520mm  
40HQ: 1170PCS



**NSCA-200SE**  
Digital Type Convection Heater

G.W/N.W: 5.5KG/4.5KG  
POWER: 2000W  
SIZE: 800X140X520mm  
40HQ: 1170PCS



**NSCA-200SK**  
Digital Type Convection Heater

G.W/N.W: 5.5KG/4.5KG  
POWER: 2000W  
SIZE: 800X140X520mm  
40HQ: 1170PCS



**NSCA-200SG**  
Digital Type Convection Heater

G.W/N.W: 5.5KG/4.5KG  
POWER: 2000W  
SIZE: 800X140X520mm  
40HQ: 1170PCS



**NSCA-200SM**  
Digital Type Convection Heater

G.W/N.W: 5.5KG/4.5KG  
POWER: 2000W  
SIZE: 800X140X520mm  
40HQ: 1170PCS



**NSCA-200SF**  
Digital Type Convection Heater

G.W/N.W: 5.5KG/4.5KG  
POWER: 2000W  
SIZE: 800X140X510mm  
40HQ: 1170PCS



**NSCA-200SM-T**  
Key-press Type Convection Heater

G.W/N.W: 5.5KG/4.5KG  
POWER: 2000W  
SIZE: 800X140X520mm  
40HQ: 1170PCS



**NSCA-200SK-T**  
Key-press Type Convection Heater

G.W/N.W: 5.5KG/4.5KG  
POWER: 2000W  
SIZE: 800X140X520mm  
40HQ: 1170PCS

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier



## Function Characteristic

Standing type and wall hanging type can be chosen  
 IPX4 water proof approval  
 Key-press type  
 Two different power selection  
 Aluminum heating element



**NSC-200SCL**  
 Key-press Type Convection Heater  
 - G.W/N.W: 5.2KG/4KG  
 - POWER: 2000W  
 - SIZE: 740x120x500mm  
 - 40HQ: 1490PCS



**NSC-200SB-T**  
 Key-press Type Convection Heater  
 - G.W/N.W: 5.2KG/4KG  
 - POWER: 2000W  
 - SIZE: 740x120x520mm  
 - 40HQ: 1425PCS



**NSC-250S11-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 7.0KG/6.2KG  
 - POWER: 2500W  
 - SIZE: 920x110x485mm  
 - 40GP/40HQ: 1100/1380PCS



**NSC-200S11-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 5.4KG/4.6KG  
 - POWER: 2000W  
 - SIZE: 760x110x485mm  
 - 40GP/40HQ: 1330/1680PCS



**NSC-250S12-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 7.6KG/6.5KG  
 - POWER: 2500W  
 - SIZE: 920x110x485mm  
 - 40GP/40HQ: 1100/1380PCS



**NSC-200S12-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 6.4KG/5.5KG  
 - POWER: 2000W  
 - SIZE: 760x110x485mm  
 - 40GP/40HQ: 1330/1680PCS



**NSC-200S51-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 7.5KG/6.0KG  
 - POWER: 2000W  
 - SIZE: 890x105x520mm  
 - 40GP/40HQ: 1130/1430PCS



**NSC-150S51-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 5.5KG/4.6KG  
 - POWER: 750W/1500W  
 - SIZE: 670x105x520mm  
 - 40GP/40HQ: 1500/1890PCS



**NSC-200SQ**  
 Key-press Type Convection Heater  
 - G.W/N.W: 5.2KG/4KG  
 - POWER: 2000W  
 - SIZE: 740x120x500mm  
 - 40HQ: 1490PCS



**NSC-200SA**  
 Key-press Type Convection Heater  
 - G.W/N.W: 5.2KG/4KG  
 - POWER: 2000W  
 - SIZE: 740x120x520mm  
 - 40HQ: 1425PCS



**NSC-150S11-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 4.3KG/3.5KG  
 - POWER: 750W/1500W  
 - SIZE: 590x110x485mm  
 - 40GP/40HQ: 1700/2150PCS



**NSC-100S11-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 3.8KG/3.0KG  
 - POWER: 500W/1000W  
 - SIZE: 430x110x495mm  
 - 40GP/40HQ: 2240/2830PCS



**NSC-150S12-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 5.2KG/4.4KG  
 - POWER: 750W/1500W  
 - SIZE: 590x110x485mm  
 - 40GP/40HQ: 1700/2150PCS



**NSE-150A3**  
 - POWER: 1500W  
 - SIZE: 545X85(190)X440mm  
 - CARTON SIZE: 600X160X480mm  
 - 40HQ: 1400pcs



**NSC-100S51-3**  
 Key-press Type Convection Heater  
 - G.W/N.W: 5.0KG/4.0KG  
 - POWER: 500W/1000W  
 - SIZE: 530x105x530mm  
 - 40GP/40HQ: 1900/2400PCS



**NSEA-150A3-1**  
 - POWER: 1500W  
 - SIZE: 545X85(190)X440mm  
 - CARTON SIZE: 600X160X480mm  
 - 40HQ: 1400pcs

## PANEL Heater Series



Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier



# PTC Heater Series



**NSA-X1801**

POWER:2000W  
 SIZE:270X250X330mm  
 CARTON SIZE:345X285X285mm  
 40HQ:2440pcs



**NSB-X1801**

POWER:2000W  
 SIZE:270X250X330mm  
 CARTON SIZE:345X285X285mm  
 40HQ:2440pcs



**NSA-XB200**

POWER:2000W  
 7 HOURS TIMER  
 SIZE:205X160X215mm  
 CARTON SIZE:230X200X255mm  
 40HQ:6100pcs



**NSB-XB200**

POWER:2000W  
 SIZE:205X160X215mm  
 CARTON SIZE:230X200X255mm  
 40HQ:6100pcs



**NSA-X2004**

Swing Function

POWER:1800W  
 SIZE:230X230X328mm  
 CARTON SIZE:270X270X370mm  
 40HQ:2700pcs



**NSB-X2004**

Swing Function

POWER:1800W  
 SIZE:230X230X328mm  
 CARTON SIZE:270X270X370mm  
 40HQ:2700pcs



**NSB-150X15**

Key-press Type PTC Heater

G.W/N.W: 1.9KG/1.4KG  
 POWER: 1500W  
 SIZE:180x100x240mm  
 CARTON SIZE:620x250x380mm  
 12PCS/CARTONS  
 40GP/40HQ:13356/15696PCS



**NSB-150X11**

Key-press Type PTC Heater

G.W/N.W: 1.9KG/1.4KG  
 POWER: 1500W  
 SIZE:180x100x240mm  
 CARTON SIZE:620x255x380mm  
 12PCS/CARTONS  
 40GP/40HQ: 11352/13380PCS



**NSA-X95**

POWER:800W  
 SIZE:260x100x150mm  
 CARTON SIZE:540x220x320mm  
 20PCS/CARTONS  
 40HQ:35200PCS



**NSB-50X21R**

Key-press Type PTC Heater

G.W/N.W: 1.5KG/1.0KG  
 POWER: 500W  
 SIZE:180x100x240mm  
 CARTON SIZE:620x255x380mm  
 12PCS/CARTONS  
 40GP/40HQ: 11352/13380PCS



**NSA-X50-1**

POWER:490W  
 SIZE:130x140x240mm  
 CARTON SIZE:665X290X470mm  
 20PCS/CARTONS  
 40HQ:13600PCS



**NSB-X50**

POWER:490W  
 SIZE:130x140x240mm  
 CARTON SIZE:665X290X470mm  
 20PCS/CARTONS  
 40HQ:13600PCS



**NSB-80Q6**

Key-press Type Quartz Heating Element

G.W/N.W: 1.3KG/1.0KG  
 POWER: 800W  
 SIZE:300x160x410mm  
 650x310x420mm  
 40GP/40HQ:2378/2952PCS



**NSB-100Q1**

Key-press Type Quartz Heating Element

**NSB-100Q5**  
 Carbon Heating Element

G.W/N.W: 1.6KG/1.3KG  
 POWER: 1000W  
 SIZE:405x655x350mm  
 40GP/40HQ:2840/3014PCS



NSB-100L

**NSB-100L1**

Swing Type Heating Element

**NSB-120L3-1**

Keypress Type Halogen Heating Element

G.W/N.W: 2.0KG/2.6KG  
 POWER: 1000W(100L1) / 1200W(120L3-1)  
 SIZE:360x200x650mm(100L1)  
 360x175x595mm(120L3-1)  
 40GP/40HQ:1780/1980PCS



NSB-120L3-1



**NSB-120G1**

Keypress Type Halogen Heating Element

**NSB-120G5**

Key-press Type Carbon Heating Element

G.W/N.W: 3.2KG/2.4KG  
 POWER: 1200W  
 SIZE:350x165x605mm  
 40GP/40HQ:1747/1962PCS



**NSB-100K1**

Keypress Type Halogen Heating Element

**NSB-100K5**

Key-press Type Carbon Heating Element

G.W/N.W: 3.2KG/2.4KG  
 POWER: 1000W  
 SIZE:295x165x725mm  
 40GP/40HQ:1780/1980PCS



**NSB-120H7**

Carbon Heating Element

G.W./N.W.:5.2/3.7Kg  
 POWER:1200W  
 SIZE: 830X235X375mm  
 40GP/40HQ: 810/930PCS

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier



## F2032

- POWER:45W
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:110°
- SIZE:300X230X810mm
- CARTON SIZE:410X310X305mm
- 40HQ:1600pcs



## F2021E

- POWER:45W
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:110°
- SIZE:300X230X760mm
- CARTON SIZE:410X310X290mm
- 40HQ:1850pcs



## F2021B

- POWER:45W
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:110°
- SIZE:300X230X760mm
- CARTON SIZE:410X310X290mm
- 40HQ:1850pcs



## X1812

- POWER:70W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:9"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:135°



## X1815

- POWER:70W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:9"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:135°



## X1858

- POWER:70W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:9"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:135°



## FA2032

- POWER:45W
- REMOTE CONTROL:7 HOURS TIMER
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:110°
- SIZE:300X230X810mm
- CARTON SIZE:410X310X305mm
- 40HQ:1600pcs



## FA2021E

- POWER:45W
- REMOTE CONTROL:7 HOURS TIMER
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:110°
- SIZE:300X230X760mm
- CARTON SIZE:410X310X290mm
- 40HQ:1850pcs



## FA2021B

- POWER:45W
- REMOTE CONTROL:7 HOURS TIMER
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:110°
- SIZE:300X230X760mm
- CARTON SIZE:410X310X290mm
- 40HQ:1850pcs



## X1861

- POWER:70W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:9"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:135°



## X1864

- POWER:70W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:9"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:135°



## X1867

- POWER:75W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:9"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:135°



Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier





F1901



F1906



F1907



F1908

## FAD2028

- POWER:32W
- REMOTE CONTROL
- 7 HOURS TIMER
- 12 SPEEDS
- BLADE DIAMETER:14"INCH
- UP AND DOWN:-10-40°
- LEFT AND RIGHT:110°
- SIZE:370X370X1037mm
- CARTON SIZE:900X205X420mm
- 40HQ:858pcs



## FAD2029

- POWER:32W
- REMOTE CONTROL
- 7 HOURS TIMER
- 12 SPEEDS
- BLADE DIAMETER:14"INCH
- UP AND DOWN:-10-40°
- LEFT AND RIGHT:110°
- SIZE:370X370X1037mm
- CARTON SIZE:900X205X420mm
- 40HQ:858pcs



## FAD2030

- POWER:32W
- REMOTE CONTROL
- 7 HOURS TIMER
- 12 SPEEDS
- BLADE DIAMETER:14"INCH
- UP AND DOWN:-10-40°
- LEFT AND RIGHT:110°
- SIZE:370X370X1037mm
- CARTON SIZE:900X205X420mm
- 40HQ:858pcs



## FAD2033

- POWER:25W
- REMOTE CONTROL
- 7 HOURS TIMER
- 12 SPEEDS
- BLADE DIAMETER:7"INCH
- UP AND DOWN:-10-80°
- LEFT AND RIGHT:110°
- SIZE:280X220X570mm
- CARTON SIZE:300X300X600mm
- 40HQ:1120pcs



F1905



F2002

## F1901 F1906 F1907 F1908

- POWER:40W
- REMOTE CONTROL
- WIND SPEED:4 SPEEDS
- BLADE DIAMETER:12" INCH
- LEFT AND RIGHT: 40°/70°/90°

## F1905 F2002

- POWER:40W
- REMOTE CONTROL
- WIND SPEED:6 SPEEDS
- BLADE DIAMETER:12" INCH
- LEFT AND RIGHT: 30°/60°/90°

## FA2022

- POWER:40W
- REMOTE CONTROL
- 7 HOURS TIMER
- 4 SPEEDS
- BLADE DIAMETER:7"INCH
- UP AND DOWN:-10-80°
- LEFT AND RIGHT:110°
- SIZE:300X230X760mm
- CARTON SIZE:410X310X290mm
- 40HQ:1850pcs



## FA2017

- POWER:40W
- REMOTE CONTROL
- 7 HOURS TIMER
- 4 SPEEDS
- BLADE DIAMETER:7"INCH
- UP AND DOWN:-10-80°
- LEFT AND RIGHT:110°
- SIZE:280X220X810mm
- CARTON SIZE:300X300X420mm
- 40HQ:1680pcs



## FA2039

- POWER:45W
- REMOTE CONTROL/FOOT SWICH
- 7 HOURS TIMER
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:-10-80°
- LEFT AND RIGHT:110°
- SIZE:280X220X570mm
- CARTON SIZE:300X300X600mm
- 40HQ:1120pcs



## F2035

- POWER:45W
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:-10-80°
- LEFT AND RIGHT:110°
- SIZE:280X220X570mm
- CARTON SIZE:300X300X600mm
- 40HQ:1120pcs



Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier



# Circulation Fan Series

## F1761

- POWER:45W
- REMOTE CONTROL
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:9"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:135°



## F1806

- POWER:45W
- REMOTE CONTROL
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



## F1802

- POWER:45W
- REMOTE CONTROL
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



## FA2121

- POWER:45W
- REMOTE CONTROL
- 7 HOURS TIMER
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:60°
- SIZE:270X127X360mm
- CARTON SIZE:415X385X320mm
- 40HQ:1340pcs



## X1820-DC

- POWER:70W
- REMOTE CONTROL
- SPEED:SLEEP MODE/ LOW/MIDDLE/HIGH
- BLADE DIAMETER:10"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:135°



## X1801

- POWER:45W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



## X1802

- POWER:45W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



## X1805

- POWER:45W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



## X2001

- POWER:45W
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:75°
- LEFT AND RIGHT:60°
- SIZE:210X210X310mm
- CARTON SIZE:335X250X242mm
- 40HQ:3690pcs



## XA2001

- POWER:45W
- REMOTE CONTROL
- 7.5 HOURS TIMER
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:75°
- LEFT AND RIGHT:60°
- SIZE:210X210X310mm
- CARTON SIZE:335X250X242mm
- 40HQ:3690pcs



## X2036

- POWER:35W
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:75°
- LEFT AND RIGHT:60°
- SIZE:230X230X340mm
- CARTON SIZE:390X310X270mm
- 40HQ:2100pcs



## XA2036

- POWER:35W
- REMOTE CONTROL
- 7 HOURS TIMER
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:75°
- LEFT AND RIGHT:60°
- SIZE:230X230X340mm
- CARTON SIZE:390X310X270mm
- 40HQ:2100pcs



## X1807

- POWER:45W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



## X1873

- POWER:45W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



## X1874

- POWER:45W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



## X1875

- POWER:45W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier



# Circulation Fan Series

**Fresh**  
Remote Wind  
Circulation



### F1634-A

- POWER:55W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- LEFTAND RIGHT:75°

### F1634-A1

- POWER:55W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- LEFTAND RIGHT:75°

### F1634

- POWER:55W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:75°

### F1639

- POWER:55W
- KEY PRESS TYPE
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°

### F1638-A

- POWER:55W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- LEFTAND RIGHT:75°

### F1635 1821R

- POWER:55W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



F1638-A



F1635 REMOTE



1821R



F1634-A



F1634-A1



F1634



F1639 REMOTE

### F1636 F1604

- POWER: 55W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER: 7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:75°

### F1637 F1605

- POWER:55W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°

### F1602

- POWER:55W
- KEY PRESS TYPE
- SPEED:LOW/MIDDLE/HIGH
- BLADE DIAMETER: 7"INCH
- UP AND DOWN:90°
- LEFT AND RIGHT:75°

### F1603 F1645

- POWER:55W
- REMOTE CONTROL
- SPEED:SLEEP MODE/LOW/MIDDLE/HIGH
- BLADE DIAMETER:7"INCH
- UP AND DOWN:90°
- LEFTAND RIGHT:75°



F1636



F1637 REMOTE



F1604



F1605 REMOTE



F1602



F1603 REMOTE



F1645 REMOTE

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier





### TA2001

- POWER:45W
- SPEED:LOW/MIDDLE/HIGH
- 15 HOURS TIMER
- LEFT AND RIGHT:65°
- SIZE:260(125)X160X1100mm
- CARTON SIZE:290X205X1190mm
- 40HQ:1040pcs



X2001

### F1922 F1923

- POWER:24W
- REMOTE CONTROL
- WIND SPEED:12 SPEEDS
- BLADE DIAMETER:12" INCH
- LEFT AND RIGHT: 50°/100°/150°



F1922



F1923

## Electric Fan Series

### F1830 F1731

- 32 Speed
- 7.5 hours timer
- Low noise
- Swing Function

- POWER:14W
- G.W/N.W:4.6KG/4.0KG
- CARTON SIZE:635X175X415mm
- 40HQ:1440PCS



F1830



F1731

### F1833 F1735 F1826

- 32 Speed
- 7.5 hours timer
- Low noise
- Swing Function

- POWER:14W
- G.W/N.W:4.6KG/4.0KG
- CARTON SIZE:635X175X415mm
- 40HQ:1440PCS



F1833



F1735



F1826

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier





F969F



F1328

**F969F  
F1328  
F1640  
F1709  
F1719**

- Three speed
- 3 hours timer;
- Low noise
- Swing Function

POWER:45W  
G.W/N.W.:4.6kg/4.0kg  
CARTON SIZE: 635X210X410mm  
40HQ:1480PCS

**F1722  
F1723  
F1829**

- THREE SPEED
- 3 HOURS TIMER
- LOW NOISE
- SWING FUNCTION

POWER:45W  
G.W/N.W.:4.6KG/4.0KG  
CARTON SIZE:635X210X410mm  
40HQ:1480PCS



F1722



F1723



F1640



F1709



F1719

**F1628**

- THREE SPEED
- 7.5 HOURS TIMER
- LOW NOISE
- SWING FUNCTION

POWER:45W  
G.W/N.W.:4.6KG/4.0KG  
SIZE:360X290X970mm  
CARTON SIZE: 415X215X615mm  
40HQ:1140PCS



F1829



F1628

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier





# Water Dispenser

Quality  
Transfer The Love



**YLR-5L(1007)**  
**YLR-5L(1009)**  
**YLR-5L(1011)**

**Electronic cold&hot**

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:380X380X1050mm
- G.W./N.W.:10.8kg/8.1kg
- 40GP/40HQ:360/420PCS

**Compressor cold&hot**

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:380X380X1050mm
- G.W./N.W.:16.8kg/14.6kg
- 20GP/40GP:168/372PCS



YLR-5L(1007)



YLR-5L(1009)



YLR-5L(1011)

**YLR-5L(1010)**

**Electronic cold&hot**

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:380X380X1050mm
- G.W./N.W.:10.8kg/8.1kg
- 40GP/40HQ:360/420PCS

**Compressor cold&hot**

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:380X380X1050mm
- G.W./N.W.:16.8kg/14.6kg
- 20GP/40GP:168/372PCS



YLR-5L(1010)



YLR-5L(1010)



YLR-5L(1010)



YLR-5L(1010)

**YLR-5L(1012)**

**Electronic cold&hot**

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:380X380X1050mm
- G.W./N.W.:10.8kg/8.1kg
- 40GP/40HQ:360/420PCS

**Compressor cold&hot**

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:380X380X1050mm
- G.W./N.W.:16.8kg/14.6kg
- 20GP/40GP:168/372PCS



YLR-5L(1012)



YLR-5L(1012)

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier





YLR-5L(1016)

## YLR-5L(1001)

### Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:330X330X990mm
- G.W./N.W.:9.0kg/7.0kg
- 40GP/40HQ:360/420PCS

### Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:330X330X990mm
- G.W./N.W.:15kg/13kg
- 20GP/40GP:238/490PCS



YLR-5L(1001)



YLR-5L(1001)



YLR-5L(1001)

## YLR-5L(1016) YLR-5L(1017) YLR-5L(1018)

### Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:380X380X1050mm
- G.W./N.W.:10.8kg/8.1kg
- 40GP/40HQ:360/420PCS

### Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:380X380X1050mm
- G.W./N.W.:16.8kg/14.6kg
- 20GP/40GP:168/372PCS



YLR-5L(1017)



YLR-5L(1018)

## YLR-5L(1002)

### Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:380X380X1050mm
- G.W./N.W.:10.8kg/8.1kg
- 40GP/40HQ:360/420PCS

### Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:380X380X1050mm
- G.W./N.W.:16.8kg/14.6kg
- 20GP/40GP:168/372PCS



YLR-5L(1002)



YLR-5L(1002)



YLR-5L(1002)

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier





YLR-5L(1002)



YLR-5L(1002)



YLR-5L(1002)



YLR-5L(1002)



YLR-5L(1002)



YLR-5L(1002)

## YLR-5L(2018L)

### Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:330X330X990mm
- G.W./N.W.:9.0kg/7.0kg
- 40GP/40HQ:540/640PCS

### Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:330X330X990mm
- G.W./N.W.:15.0kg/13.0kg
- 20GP/40GP:238/490PCS



YLR-5L(2018L)

## YLR-5L(2018-1L)

### Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:330X330X990mm
- G.W./N.W.:9.0kg/7.0kg
- 40GP/40HQ:540/640PCS

### Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:330X330X990mm
- G.W./N.W.:15.0kg/13.0kg
- 20GP/40GP:238/490PCS



YLR-5L(2018-1L)

## YLR-5L(908)

### Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:330X330X990mm
- G.W./N.W.:9.0kg/7.0kg
- 40GP/40HQ:540/640PCS

### Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:330X330X990mm
- G.W./N.W.:15.0kg/13.0kg
- 20GP/40GP:238/490PCS



YLR-5L(908)

## YLR-5L(903)

### Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:330X340X1020mm
- G.W./N.W.:9.0kg/7.0kg
- 20GP/40HQ:238/570PCS

### Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:330X340X1020mm
- G.W./N.W.:15.0kg/13.0kg
- 20GP/40GP:238/570PCS



YLR-5L(903)

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier





## YLR-5L(1015)

### Electronic cold&hot

HEATING POWER:420W  
 COOLING POWER:75W  
 SIZE:330X330X990mm  
 G.W./N.W.:10.8kg/8.1kg  
 40GP/40HQ:360/420PCS

### Compressor cold&hot

HEATING POWER:420W  
 COOLING POWER:95W  
 SIZE:330X330X990mm  
 G.W./N.W.:16.8kg/14.6kg  
 20GP/40GP:168/372PCS



YLR-5L(1015)

## YLR-5L(1005A/B) YLR-5L(1006)

### Electronic cold&hot

HEATING POWER:420W  
 COOLING POWER:75W  
 SIZE:330X330X990mm  
 G.W./N.W.:9.0kg/7.0kg  
 40GP/40HQ:540/640PCS

### Compressor cold&hot

HEATING POWER:420W  
 COOLING POWER:95W  
 SIZE:330X330X990mm  
 G.W./N.W.:15.0kg/13.0kg  
 20GP/40GP:238/490PCS



YLR-5L(1005A)



YLR-5L(1005B)



YLR-5L(1006A)

## YLR-5L(505)

### Electronic cold&hot

HEATING POWER:420W  
 COOLING POWER:75W  
 SIZE:330X330X990mm  
 G.W./N.W.:9.0kg/7.0kg  
 40GP/40HQ:540/640PCS

### Compressor cold&hot

HEATING POWER:420W  
 COOLING POWER:95W  
 SIZE:330X330X990mm  
 G.W./N.W.:15.0kg/13.0kg  
 20GP/40GP:238/490PCS



YLR-5L(505)

## YLR-5L(501)

### Electronic cold&hot

HEATING POWER:420W  
 COOLING POWER:75W  
 SIZE:325X300X870mm  
 G.W./N.W.:8.2kg/6.5kg  
 40GP/40HQ:718/815PCS

### Compressor cold&hot

HEATING POWER:420W  
 COOLING POWER:95W  
 SIZE:325X300X870mm  
 G.W./N.W.:14.2kg/12.5kg  
 20GP/40GP:538/815PCS



YLR-5L(501)



YLR-5L(1006B)



YLR-5L(1006C)



YLR-5L(1006D)

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier



# Water Dispenser Series



## Healthy Drinking Water Of Life



YR-5T(805)



YR-5T(501)

### YR-5T(805) YR-5T(501)

Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:305X330X430mm
- G.W./N.W.:4.3kg/3.6kg
- 40GP/40HQ:1350/1600PCS

### YR-5T(902) YR-5T(908) YR-5T(1005)

Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:330X340X530mm
- G.W./N.W.:4.8kg/4.0kg
- 40GP/40HQ:950/1190PCS

Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE:330X340X530mm
- G.W./N.W.:13kg/11kg
- 40GP/40HQ:950/1190PCS



YR-5T(1005)



YR-5T(902)



YR-5T(908)

### YR-5T(8) YR-5T(803)

Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE:330X330X480mm
- G.W./N.W.:4.8kg/4.0kg
- 40GP/40HQ:1145/1310PCS



YR-5T(8)



YR-5T(803)

### LR-5L(2018) LR-5L(2018-1)

Electronic cold&hot

- HEATING POWER:420W
- COOLING POWER:75W
- SIZE: 330X370X560mm
- G.W./N.W.:4.8kg/4.0kg
- 40GP/40HQ:1022PCS

Compressor cold&hot

- HEATING POWER:420W
- COOLING POWER:95W
- SIZE: 330X370X560mm
- G.W./N.W.: 12kg/13.3kg
- 40HQ:1022PCS



LR-5L(2018)



LR-5L(2018-1)

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier



# Dehumidifier Series



CSQ-1301



CSQ-1302



CSQ-1304



CSQ-1307

**CSQ-1301**  
**CSQ-1302**  
**CSQ-1304**  
**CSQ-1307**

G.W/N.W:1.5KG/1.2KG  
POWER:22W  
SIZE:154X130X218mm  
DEHUMIDIFYING ABILITY:220ML/DAY  
T/HUMIDITY:30°C/80%  
NOISE:36-38dB  
USAGE TEMPERATURE:16°C-35°C

**CSQ-1303**  
**CSQ-1305**  
**CSQ-1306**

G.W/N.W:2.6KG/2.0KG  
POWER:72W  
SIZE:218X155X340mm  
DEHUMIDIFYING ABILITY:550ML/DAY  
T/HUMIDITY:30°C/80%  
NOISE:38dB  
USAGE TEMPERATURE:5°C-40°C



CSQ-1303



CSQ-1303



CSQ-1305



CSQ-1306



STS10-1016



STS10-1017



STS10-1018



STS10-1019



STS10-1020

**STS10-1016**  
**STS10-1017**  
**STS10-1018**  
**STS10-1019**  
**STS10-1020**

G.W/N.W:10.5/9.5KGS  
POWER: 200W  
PACKING SIZE: 375X295X618MM  
DEHUMIDIFYING ABILITY:10L/DAY  
T/HUMIDITY: 30°C/80%  
NOISE: ≤45dB  
USAGE TEMPERATURE: 5°C-35°C  
40GP/40HQ: 720PCS/960PCS  
WATER TANK: 4L

**STSD20-1011V1R3**

G.W/N.W:15.5/14.5KGS  
POWER: 360W  
PACKING SIZE: 428X358X665MM  
DEHUMIDIFYING ABILITY:20L/DAY  
T/HUMIDITY: 30°C/80%  
NOISE: ≤43dB  
USAGE TEMPERATURE: 5°C-35°C  
20GP: 240PCS  
40GP: 495PCS  
40HQ: 680PCS  
WATER TANK: 8L

**STSD25-1011V1R3**

G.W/N.W:18.5/17.0KGS  
POWER: 500W  
PACKING SIZE: 428X358X665MM  
DEHUMIDIFYING ABILITY:25L/DAY  
T/HUMIDITY: 30°C/80%  
NOISE: ≤45dB  
USAGE TEMPERATURE: 5°C-35°C  
20GP: 240PCS  
40GP: 495PCS  
40HQ: 680PCS  
WATER TANK: 8L



**STSD20-1010V1R3**

G.W/N.W:13.5/12KGS  
POWER: 300W  
PACKING SIZE: 395X325X675MM  
DEHUMIDIFYING ABILITY:20L/DAY  
T/HUMIDITY: 30°C/80%  
NOISE: ≤48dB  
USAGE TEMPERATURE: 5°C-35°C  
40GP/40HQ: 666PCS/888PCS  
WATER TANK:3.5L

**STSD20-1012V1R3**

G.W/N.W:15.5/14.5KGS  
POWER: 360W  
PACKING SIZE: 428X358X665MM  
DEHUMIDIFYING ABILITY:20L/DAY  
T/HUMIDITY: 30°C/80%  
NOISE: ≤43dB  
USAGE TEMPERATURE: 5°C-35°C  
20GP: 240PCS  
40GP: 495PCS  
40HQ: 680PCS  
WATER TANK: 8L



**STSD25-1012V1R3**

G.W/N.W:18.5/17.0KGS  
POWER: 500W  
PACKING SIZE: 428X358X665MM  
DEHUMIDIFYING ABILITY:25L/DAY  
T/HUMIDITY: 30°C/80%  
NOISE: ≤45dB  
USAGE TEMPERATURE: 5°C-35°C  
20GP: 240PCS  
40GP: 495PCS  
40HQ: 680PCS  
WATER TANK: 8L

Heater

Circulation Fan

Electric Fan

Water Dispenser

Dehumidifier