



ELECTRIC SOLID HOT PLATE

JB-3220~JB-2020	/2	JB-3015	/13
JB-3222~JB-2022	/3	JB-3217G~JB-2017G	/14
JB-3211~JB-2011	/4	JB-3228G~JB-2008G	/15
JB-3215~JB-2015	/5	JB-3238G~JB-2038G	/16
JB-3216~JB-2016	/6	JB-531S~JB-532S	/17
JB-3216L~JB-2016L	/7	JB-3220S~JB-2020S	/18
JB-3217~JB-2017	/8	JB-3222S~JB-2022S	/19
JB-3218~JB-2018	/9	JB-3219S~JB-2019S	/20
JB-3228~JB-2008	/10	JB-3211S~JB-2011S	/21
JB-3238~JB-2038	/11	JB-3228S~JB-2008S	/22
JB-521~JB-522	/12	JB-3238S~JB-2038S	/23
		JB-3218S	/24



CERAMIC HOT PLATE

JB-3238GS~JB-2038GS	/25
JB-5120~JB-5220	/27
JB-5122~JB-5222	/28
JB-5116~JB-5216	/29
JB-5118~JB-5128	/30
JB-5120S~JB-5220S	/32
JB-5119S~JB-5219S	/33
JB-5122S~JB-5222S	/34
JB-5118S~JB-5128S	/35
JB-5118GS~JB-5128GS	/36



ELECTRIC SPIRAL HOT PLATE

JB-3120~JB-1020	/37	JB-501~JB-502	/47
JB-3122~JB-1022	/38	JB-3120S~JB-1020S	/49
JB-3011~JB-1011	/39	JB-3119S~JB-1019S	/50
JB-3017~JB-1017	/40	JB-3122S~JB-1022S	/51
JB-3115~JB-1015	/41	JB-3138S~JB-1038S	/52
JB-3216U~JB-2016U	/42		
JB-3108~JB-1008	/43		
JB-3118~JB-1018	/44		
JB-503~JB-1018M	/45		
JB-3138~JB-1038	/46		



BARBECUE

JB-B01~JB-B01J	/54
JB-B03K~JB-B03KJ	/55
JB-B03W~JB-B03WJ	/56
JB-B06W~JB-B06WJ	/57
JB-K608~JB-K601	/58
JB-KB04~JB-K01	/59

JB-3220

- Color option: white/silver/black/chromed
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3220
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W/1500W
Product size	288X85X257mm
Gift box size	321X98X290mm
Carton size	613X326X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2610PCS 1×40GP=5520PCS 1×40HQ=6487PCS
Certificate	CB/CE/ETL/ROHS/ERP

JB-2020

- Color option: white/silver/black/chromed
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2020
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W/1800W
Product size	520X85X257mm
Gift box size	553X98X290mm
Carton size:	568X417X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1468PCS 1×40GP=3104PCS 1×40HQ=3648PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3222

- Color option: white/silver/black/chromed
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3222
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W/1500W
Product size	286X306X82mm
Gift box size	318X100X384mm
Carton size	620X333X404mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1998PCS 1×40GP=4110PCS 1×40HQ=4890PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2022

- Color option: white/silver/black/chromed
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2022
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W/1800W
Product size	506X306X82mm
Gift box size	538X100x384mm
Carton size:	552X423X400mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1156PCS 1×40GP=2440PCS 1×40HQ=2868PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3211

- Color option: white/silver/black/chromed
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3211
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	230X270X70mm
Gift box size	257X87X292mm
Carton size	550X265X305mm
Packaging	6PCS/CTN
G.W/N.W per carton	14.5KGS/13.5KGS
Container loading	1×20GP=3720PCS 1×40GP=7800PCS 1×40HQ=9150PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2011

- Color option: white/silver/black/chromed
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2011
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	485X275X70mm
Gift box size	510X91X298mm
Carton size:	525X405X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	16.0KGS/15.0KGS
Container loading	1×20GP=1596PCS 1×40GP=3432PCS 1×40HQ=4024PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3215

- Color option: white/silver/black/chromed
- Single cast-iron plate size: Φ 185mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3215
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	290X250X80mm
Gift box size	275X98X332mm
Carton size	608X355X295mm
Packaging	6PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container loading	1x20GP=2544PCS 1x40GP=5430PCS 1x40HQ=6408PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2015

- Color option: white/silver/black/chromed
- Double cast-iron plate size: Φ 185mm+ Φ 155mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2015
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	475X290X80mm
Gift box size	495X98X335mm
Carton size	515X412X355mm
Packaging	4PCS/CTN
G.W/N.W per carton	15.5KGS/14.5KGS
Container loading	1x20GP=1432PCS 1x40GP=3080PCS 1x40HQ=3584PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3216

- Color option: white/silver/black/chromed
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3216
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	265X280X85mm
Gift box size	290X90X297mm
Carton size	560X305X315mm
Packaging	6PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container Loading	1X20GP=3072PCS 1X40GP=6400PCS 1X40HQ=7520PCS
Certificate	CB/CE/ETL/ROHS



JB-2016

- Color option: white/silver/black/chromed
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2016
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	470X270X80mm
Gift box size	506X90X297mm
Carton size	520X380X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	16.0KGS/15.0KGS
Container Loading	1X20GP=1796PCS 1X40GP=3756PCS 1X40HQ=4408PCS
Certificate	CB/CE/ETL/ROHS



JB-3216L

- Color option: white/silver/black/chromed
- Single cast-iron plate size: Φ 185mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3216L
220-240V, 50/60Hz	1180-1400W
120V, 60Hz	1000W
Product size	265X280X87mm
Gift box size	290X90X297mm
Carton size	560X305X315mm
Packaging	6PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container Loading	1X20GP=3072PCS 1X40GP=6400PCS 1X40HQ=7520PCS
Certificate	NEW CE/ROHS/ERP



JB-2016L

- Color option: white/silver/black/chromed
- Double cast-iron plate size: Φ 185mm+ Φ 155mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2016L
220-240V, 50/60Hz	1940-2300W
120V, 60Hz	1500W
Product size	470X270X80mm
Gift box size	506X90X297mm
Carton size	520X380X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	16.0KGS/15.0KGS
Container Loading	1X20GP=1796PCS 1X40GP=3756PCS 1X40HQ=4408PCS
Certificate	NEW CE/ROHS/ERP



JB-3217

- Color option: white/silver/black/chromed
- Single cast-iron plate size: Φ 185mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3217
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	250X270X70mm
Gift box size	285X82X298mm
Carton size	440X300X615mm
Packaging	6PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container loading	1×20GP=3360PCS 1×40GP=6996PCS 1×40HQ=8280PCS
Certificate	CB/CE/ETL/ROHS



JB-2017

- Color option: white/silver/black/chromed
- Double cast-iron plate size: Φ 185mm+ Φ 155mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2017
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	490X280X70mm
Gift box size	513X82X298mm
Carton size	528X348X313mm
Packaging	4PCS/CTN
G.W/N.W per carton	16.0KGS/15.0KGS
Container loading	1×20GP=1876PCS 1×40GP=4032PCS 1×40HQ=4728PCS
Certificate	CB/CE/ETL/ROHS



JB-3218

- Color option: white/silver/black/chromed
- Single cast-iron plate size: $\Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3218
220-240V, 50/60Hz	1000W
120V, 60Hz	750W
Product size	220X240X70mm
Gift box size	260X75X281mm
Carton size	400X275X580mm
Packaging	10PCS/CTN
G.W/N.W per carton	17.0KGS/16.0KGS
Container loading	1×20GP=4200PCS 1×40GP=8700PCS 1×40HQ=10220PCS
Certificate	CE/CB/ETL/ROHS/ERP



JB-2018

- Color option: white/silver/black/chromed
- Double cast-iron plate size: $\Phi 155\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2018
220-240V, 50/60Hz	2000W
120V, 60Hz	1500W
Product size	480X260X70mm
Gift box size	498X80X294mm
Carton size	510X355X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	15.5KGS/14.5KGS
Container loading	1×20GP=1980PCS 1×40GP=4100PCS 1×40HQ=4800PCS
Certificate	CB/CE/ROHS/ERP



JB-3228

- Color option: white/silver/black/chromed
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3228
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	250X270X80mm
Gift box size	285X82X298mm
Carton size	300X265X615mm
Packaging	6PCS/CTN
G.W/N.W per carton	10.0KGS/9.0KGS
Container loading	1×20GP=3400PCS 1×40GP=7080PCS 1×40HQ=8340PCS
Certificate	CE/CB/ETL/ROHS/ERP



JB-2008

- Color option: white/silver/black/chromed
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2008
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	460X270X70mm
Gift box size	485X80X302mm
Carton size	500X355X315mm
Packaging	4PCS/CTN
G.W/N.W per carton	15.5KGS/14.5KGS
Container loading	1×20GP=2000PCS 1×40GP=4100PCS 1×40HQ=4800PCS
Certificate	CE/CB/ETL/ROHS/ERP



JB-3238

- Color option: white/silver/black/chromed
- Single cast-iron plate size: Φ 185mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3238
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	240X270X70mm
Gift box size	267X82X294mm
Carton size	520X275X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	14.5KGS/13.50KGS
Container loading	1×20GP=3720PCS 1×40GP=7800PCS 1×40HQ=9150PCS
Certificate	CB/CE/ROHS/ERP



JB-2038

- Color option: white/silver/black/chromed
- Double cast-iron plate size: Φ 185mm+ Φ 155mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2038
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	465X270X70mm
Gift box size	487X82X294mm
Carton size	500X355X305mm
Packaging	4PCS/CTN
G.W/N.W per carton	15.5KGS/14.5KGS
Container loading	1×20GP=2032PCS 1×40GP=4260PCS 1×40HQ=5000PCS
Certificate	CB/CE/ROHS/ERP



JB-521

- Color option: white/silver/black/chromed
- Single cast-iron plate size: Φ 185mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-521
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	210X230X85mm
Gift box size	249X99X274mm
Carton size	320X260X565mm
Packaging	6PCS/CTN
G.W/N.W per carton	16.0KGS/15.0KGS
Container loading	1×20GP=3444PCS 1×40GP=7398PCS 1×40HQ=8676PCS
Certificate	CB/CE/ETL/ROHS



JB-522

- Color option: white/silver/black/chromed
- Double cast-iron plate size: Φ 185mm+ Φ 155mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-522
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	470X260X85mm
Gift box size	295X89X495mm
Carton size	510X390X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	18.5KGS/17.5KGS
Container loading	1×20GP=1752PCS 1×40GP=3760PCS 1×40HQ=4408PCS
Certificate	CB/CE/ETL/ROHS



JB-3015

- Color option:white/black/red/silver
- Single cast-iron plate size: $\Phi 106\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3015
220-240V, 50/60Hz	500W
120V, 60Hz	500W
Product size	165X170X80mm
Gift box size	170X85X180mm
Carton size	450X355X195mm
Packaging	10PCS/CTN
G.W/N.W per carton	10.5KGS/10.0KGS
Container loading	1×20GP=8920PCS 1×40GP=18550PCS 1×40HQ=21760PCS
Certificate	CB/ETL/CE/ROHS



JB-3217G

- Color option: white/silver/black/chromed
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3217G
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	285X275X80mm
Gift box size	394X288X93mm
Carton size	409X298X588mm
Packaging	6PCS/CTN
G.W/N.W per carton	14.7KGS/13.7KGS
Container loading	1×20GP=2256PCS 1×40GP=4770PCS 1×40HQ=5604PCS
Certificate	GS/CE/ROHS/ERP



JB-2017G

- Color option: white/silver/black/chromed
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2017G
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	525X275X80mm
Gift box size	552X101X307mm
Carton size	570X430X322mm
Packaging	4PCS/CTN
G.W/N.W per carton	17.5KGS/16.5KGS
Container loading	1×20GP=1420PCS 1×40GP=2940PCS 1×40HQ=3448PCS
Certificate	GS/CE/ROHS/ERP



JB-3228G

- Color option: white/silver/black/chromed
- Single cast-iron plate size: Φ 185mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3228G
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	310X290X70mm
Gift box size	319X83X303mm
Carton size	658X269X323mm
Packaging	6PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container loading	1×20GP=2880PCS 1×40GP=6000PCS 1×40HQ=7080PCS
Certificate	ROHS/ERP/GS/CE



JB-2008G

- Color option: white/silver/black/chromed
- Double cast-iron plate size: Φ 185mm+ Φ 155mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2008G
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	505X265X70mm
Gift box size	521X90X296mm
Carton size	536X380X316mm
Packaging	4PCS/CTN
G.W/N.W per carton	16.0KGS/15.0KGS
Container loading	1×20GP=1700PCS 1×40GP=3580PCS 1×40HQ=4200PCS
Certificate	ROHS/ERP/GS/CE



JB-3238G

- Color option: white/silver/black/chromed
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3238G
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	250X270X85mm
Gift box size	278X103X294mm
Carton size	638X293X314mm
Packaging	6PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container loading	1×20GP=2784PCS 1×40GP=5850PCS 1×40HQ=6870PCS
Certificate	ROHS/ERP/CE/GS



JB-2038G

- Color option: white/silver/black/chromed
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2038G
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	475X270X80mm
Gift box size	496X103X294mm
Carton size	511X432X314mm
Packaging	4PCS/CTN
G.W/N.W per carton	16.0KGS/15.0KGS
Container loading	1×20GP=1572PCS 1×40GP=3304PCS 1×40HQ=3880PCS
Certificate	ROHS/ERP/GS/CE



JB-531S

- Color option: stainless steel
- Thermostat control
- Indicator light
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Single cast-Iron plate size: $\Phi 185\text{mm}$

Model No.	JB-531S
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W/1500W
Product size	266.4X301.5X96.2mm
Gift box size	298X355X110mm
Carton size	370X313X680mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2094PCS 1×40GP=4380PCS 1×40HQ=5142PCS
Certificate	ETL/CE/ROHS



JB-532S

- Color option: stainless steel
- Thermostat control
- Indicator light
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Double cast-Iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$

Model No.	JB-532S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W/1800W
Product size	484.4X297.4X96.2mm
Gift box size	516X110X355mm
Carton size	531X370X460mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1216PCS 1×40GP=2544PCS 1×40HQ=2984PCS
Certificate	ETL/CE/ROHS



JB-3220S

- Color option: stainless steel
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3220S
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W / 1500W
Product size	288X85X257mm
Gift box size	321X98X290mm
Carton size	613X326X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2610PCS 1×40GP=5520PCS 1×40HQ=6487PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2020S

- Color option: stainless steel
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2020S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W/1800W
Product size	520X85X257mm
Gift box size	553X98X290mm
Carton size	568X417X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1468PCS 1×40GP=3104PCS 1×40HQ=3648PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3222S

- Color option: stainless steel
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3222S
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W / 1500W
Product size	286X306X82mm
Gift box size	318X100X384mm
Carton size	333X424X400mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2874PCS 1×40GP=6066PCS 1×40HQ=7134PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2022S

- Color option: stainless steel
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2022S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W/1800W
Product size	506X306X82mm
Gift box size	538X100X384mm
Carton size	552X423X400mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1156PCS 1×40GP=2440PCS 1×40HQ=2868PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3219S

- Color option: stainless steel
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3219S
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W / 1500W
Product size	280X266X70mm
Gift box size	310X295X75mm
Carton size	465X325X315mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=3400PCS 1×40GP=7100PCS 1×40HQ=8280PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2019S

- Color option: stainless steel
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2019S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W/1800W
Product size	475X277X77mm
Gift box size	513X319X88mm
Carton size	528X372X339mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1680PCS 1×40GP=3500PCS 1×40HQ=3840PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3211S

- Color option: stainless steel
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3211S
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	230X270X70mm
Gift box size	257X87X292mm
Carton size	550X265X305mm
Packaging	6PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container loading	1×20GP=3642PCS 1×40GP=7824PCS 1×40HQ=9180PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2011S

- Color option: stainless steel
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2011S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W(500W+1000W)
Product size	485X275X70mm
Gift box size	510X91X298mm
Carton size	525X405X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	16.5KGS/15.5KGS
Container loading	1×20GP=1636PCS 1×40GP=3520PCS 1×40HQ=4124PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3228S

- Color option:stainless steel
- Single cast-iron plate size: Φ 185mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3228S
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	250X270X80mm
Gift box size	285X82X298mm
Carton size	340X272X534mm
Packaging	6PCS/CTN
G.W/N.W per carton	10.0KGS/9.0KGS
Container loading	1×20GP=3400PCS 1×40'GP=7080PCS 1×40HQ=8340PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2008S

- Color option: stainless steel
- Double cast-iron plate size: Φ 185mm+ Φ 155mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2008S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W (500W+1000W)
Product size	460X270X70mm
Gift box size	485X80X302mm
Carton size	500X355X315mm
Packaging	4PCS/CTN
G.W/N.W per carton	15.5KGS/14.5KGS
Container loading	1×20GP=2000PCS 1×40GP=4100PCS 1×40HQ=4800PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3238S

- Color option: stainless steel
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3238S
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	240X270X70mm
Gift box size	267X82X294mm
Carton size	520X275X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	14.5KGS/13.5KGS
Container loading	1×20GP=3720PCS 1×40GP=7800PCS 1×40HQ=9150PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-2038S

- Color option: stainless steel
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2038S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W (500W+1000W)
Product size	465X270X70mm
Gift box size	487X82X294mm
Carton size	500X355X305mm
Packaging	4PCS/CTN
G.W/N.W per carton	15.5KGS/14.5KGS
Container loading	1×20GP=2032PCS 1×40GP=4260PCS 1×40HQ=5000PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3218S

- Color option: stainless steel
- Single cast-iron plate size: Φ 155mm
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3218S
220-240V, 50/60Hz	1000W
120V, 60Hz	750W
Product size	220X240X70mm
Gift box size	260X75X281mm
Carton size	400X275X580mm
Packaging	10PCS/CTN
G.W/N.W per carton	17.0KGS/16.0KGS
Container loading	1×20GP=4200PCS 1×40GP=8700PCS 1×40HQ=10200PCS
Certificate	ETL



JB-3238GS

- Color option: stainless steel
- Single cast-iron plate size: $\Phi 185\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-3238GS
220-240V, 50/60Hz	1500W
120V, 60Hz	1000W
Product size	250X270X85mm
Gift box size	278X103X294mm
Carton size	638X293X314mm
Packaging	6PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container loading	1×20GP=2748PCS 1×40GP=5850PCS 1×40HQ=6870PCS
Certificate	GS/CE/ROHS/ERP



JB-2038GS

- Color option: stainless steel
- Double cast-iron plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Thermostat control
- With chromed decorate cycle
- Non-skid rubber feet keep the unit steady
- With auto safety shut-off fuse
- Indicator light

Model No.	JB-2038GS
220-240V, 50/60Hz	2500W(1000W+1500W)
120V, 60Hz	1500W (500W+1000W)
Product size	475X270X80mm
Gift box size	495X97X294mm
Carton size	511X432X314mm
Packaging	4PCS/CTN
G.W/N.W per carton	16.0KGS/15.0KGS
Container loading	1×20GP=1572PCS 1×40GP=3304PCS 1×40HQ=3880PCS
Certificate	GS/CE/ROHS/ERP





JB-5120

- Color option: white/silver/black/chromed
- Single ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5120
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	288X85X257mm
Gift box size	321X98X290mm
Carton size	613X326X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2610PCS 1×40GP=5520PCS 1×40HQ=6487PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5220

- Color option: white/silver/black/chromed
- Double ceramic plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5220
220-240V, 50/60Hz	2000W(800W+1200W)
120V, 60Hz	1500W (600W+900W)
Product size	520X85X257mm
Gift box size	553X98X290mm
Carton size	568X417X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1468PCS 1×40GP=3104PCS 1×40HQ=3648PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5122

- Color option: white/silver/black/chromed
- Single ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5122
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	286X306X82mm
Gift box size	318X10X384mm
Carton size	333X424X400mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2874PCS 1×40GP=6066PCS 1×40HQ=7134PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5222

- Color option: white/silver/black/chromed
- Double ceramic plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5222
220-240V, 50/60Hz	2000W (800W+1200W)
120V, 60Hz	1500W (600W+900W)
Product size	506X306X82mm
Gift box size	538X100X384mm
Carton size	552X423X400mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1156PCS 1×40GP=2440PCS 1×40HQ=2868PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5116

- Color option: white/silver/black/chromed
- Single ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5116
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	265X280X95mm
Gift box size	290X90X297mm
Carton size	560X305X315mm
Packaging	6PCS/CTN
G.W/N.W per carton	10.3KGS/9.3KGS
Container loading	1×20GP=3027PCS 1×40GP=6400PCS 1×40HQ=7520PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5216

- Color option: white/silver/black/chromed
- Double ceramic plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5216
220-240V, 50/60Hz	2000W(800W+1200W)
120V, 60Hz	1500W(600W+900W)
Product size	470X270X80mm
Gift box size	506X90X297mm
Carton size	520X380X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	9.5KGS/8.5KGS
Container loading	1×20GP=1796PCS 1×40GP=3756PCS 1×40HQ=4408PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5118

- Color option: white/silver/black/chromed
- Single ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5118
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	240X265X70mm
Gift box size	267X82X294mm
Carton size	520X275X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	10.0KGS/9.0KGS
Container loading	1×20GP=3654PCS 1×40GP=7848PCS 1×40HQ=9204PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5128

- Color option: white/silver/black/chromed
- Double ceramic plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5128
220-240V, 50/60Hz	2000W(800W+1200W)
120V, 60Hz	1500W (600W+900W)
Product size	460X260X70mm
Gift box size	496X103X294mm
Carton size	511X432X314mm
Packaging	4PCS/CTN
G.W/N.W per carton	10.5KGS/9.5KGS
Container loading	1×20GP=1556PCS 1×40GP=3344PCS 1×40HQ=3924PCS
Certificate	CB/CE/ETL/ROHS/ERP





JB-5120S

- Color option:stainless steel
- Single ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency,the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5120S
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	288X85X257mm
Gift box size	321X98X290mm
Carton size	613X326X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2610PCS 1×40GP=5520PCS 1×40HQ=6487PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5220S

- Color option: stainless steel
- Double ceramic plate size: $\Phi 185\text{mm}+\Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency,the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5220S
220-240V, 50/60Hz	2000W(800W+1200W))
120V, 60Hz	1500W (600W+900W)
Product size	520X85X257mm
Gift box size	553X98X257mm
Carton size	568X417X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1468PCS 1×40GP=3104PCS 1×40HQ=3648PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5119S

- Color option:stainless steel
- Single ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency,the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5119S
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	280X266X70mm
Gift box size	310X295X75mm
Carton size	465X325X315mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=3400PCS 1×40GP=7100PCS 1×40HQ=8280PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5219S

- Color option: stainless steel
- Double ceramic plate size: $\Phi 185\text{mm}+\Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency,the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5219S
220-240V, 50/60Hz	2000W(800W+1200W)
120V, 60Hz	1500W(600W+900W)
Product size	475X277X77mm
Gift box size	513X319X88mm
Carton size	528X372X339mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1680PCS 1×40GP=3500PCS 1×40HQ=3840PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5122S

- Color option:stainless steel
- Single ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency,the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5122S
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	286X306X82mm
Gift box size	318X100X384mm
Carton size	333x424X400mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2874PCS 1×40GP=6066PCS 1×40HQ=7134PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5222S

- Color option: stainless steel
- Double ceramic plate size: $\Phi 185\text{mm}+\Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency,the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5222S
220-240V, 50/60Hz	2000W(800W+1200W)
120V, 60Hz	1500W (600W+900W)
Product size	506X306X82mm
Gift box size	538X100X384mm
Carton size	552X423X400mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1156PCS 1×40GP=2440PCS 1×40HQ=2868PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5118S

- Color option: stainless steel
- Single ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5118S
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	240X265X70mm
Gift box size	267X82X294mm
Carton size	512X282X314mm
Packaging	6PCS/CTN
G.W/N.W per carton	10.0KGS/9.0KGS
Container loading	1×20GP=3654PCS 1×40GP=7848PCS 1×40HQ=9204PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5128S

- Color option: stainless steel
- Double ceramic plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5128S
220-240V, 50/60Hz	2000W(1200W+800W)
120V, 60Hz	1500W(600W+900W)
Product size	460X260X70mm
Gift box size	487X82X294mm
Carton size	500X355X305mm
Packaging	4PCS/CTN
G.W/N.W per carton	10.8KGS/9.8KGS
Container loading	1×20GP=2060PCS 1×40GP=4200PCS 1×40HQ=5000PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5118GS

- Color option: stainless steel
- Double ceramic plate size: $\Phi 185\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5118GS
220-240V, 50/60Hz	1200W
120V, 60Hz	1000W
Product size	250X270X85mm
Gift box size	278X103X294mm
Carton size	638X293X314mm
Packaging	4PCS/CTN
G.W/N.W per carton	15.0KGS/14.0KGS
Container loading	1×20GP=2784PCS 1×40GP=5850PCS 1×40HQ=6870PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-5128GS

- Color option: stainless steel
- Double ceramic plate size: $\Phi 185\text{mm} + \Phi 155\text{mm}$
- Adjustable thermostat control
- High hardness crystallite glass plate with metal housing
- indicator light with chromed decorate cycle
- High-efficiency, the temp can be reached 300°C within 36s
- Non-skid rubber feet keep the unit steady

Model No.	JB-5128GS
220-240V, 50/60Hz	2000W(1200W+800W)
120V, 60Hz	1500W(600W+900W)
Product size	460X260X70mm
Gift box size	496X103X294mm
Carton size	511X432X314mm
Packaging	4PCS/CTN
G.W/N.W per carton	10.8KGS/9.8KGS
Container loading	1×20GP=1556PCS 1×40GP=3344PCS 1×40HQ=3924PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3120

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3120
220-240V, 50/60Hz	1500W
120V 60Hz	1000W / 1500W
Product size	288X85X257mm
Gift box size	321X98X290mm
Carton size	613X326X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2610PCS 1×40GP=5520PCS 1×40HQ=6487PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-1020

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 155\text{mm} + \Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1020
220-240V 50-60Hz	2500W(1000W+1500W)
120V 60Hz	1500W/1800W
Product size	520X85X257mm
Gift box size	553X98X290mm
Carton size	568X417X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1468PCS 1×40GP=3104PCS 1×40HQ=3648PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3122

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3122
220-240V, 50/60Hz	1500W
120V 60Hz	1000W / 1500W
Product size	286X306X82mm
Gift box size	318X100X384mm
Carton size	333X424X400mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2874PCS 1×40GP=6066PCS 1×40HQ=7134PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-1022

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 155\text{mm} + \Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1022
220-240V 50-60Hz	2500W(1000W+1500W)
120V 60Hz	1500W/1800W
Product size	506X306X82mm
Gift box size	538X100X384mm
Carton size	552X423X400mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1156PCS 1×40GP=2440PCS 1×40HQ=2868PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3011

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3011
220-240V, 50/60Hz	1500W
120V 60Hz	1000W
Product size	230X265X80mm
Gift box size	278X78X290mm
Carton size	530X293X305mm
Packaging	6PCS/CTN
G.W/N.W per carton	6.5KGS/6.0KGS
Container loading	1×20GP=3420PCS 1×40GP=7344PCS 1×40HQ=8610PCS
Certificate	ETL/CE/ROHS/CB



JB-1011

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 155\text{mm} + \Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1011
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W(500W+1000W)
Product size	485X270X80mm
Gift box size	510X91X298mm
Carton size	525X310X395mm
Packaging	4PCS/CTN
G.W/N.W per carton	8.8KGS/8.0KGS
Container loading	1×20GP=1680PCS 1×40GP=3608PCS 1×40HQ=5608PCS
Certificate	CB/CE/ROHS/ETL



JB-3107

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3107
220-240V, 50/60Hz	1500W
120V 60Hz	1000W
Product size	250X275X80mm
Gift box size	283X288X92mm
Carton size	298X303X567mm
Packaging	6PCS/CTN
G.W/N.W per carton	6.5KGS/6.0KGS
Container loading	1×20GP=3162PCS 1×40GP=6678PCS 1×40HQ=7848PCS
Certificate	ETL/CE/CB/ROHS



JB-1017

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 155\text{mm} + \Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1017
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W(500W+1000W)
Product size	490X285X80mm
Gift box size	503X298X92mm
Carton size	518X303X383mm
Packaging	4PCS/CTN
G.W/N.W per carton	9.0KGS/8.5KGS
Container loading	1×20GP=1796PCS 1×40GP=3792PCS 1×40HQ=4456PCS
Certificate	ETL/CE/CB/ROHS



JB-3115

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3115
220-240V, 50/60Hz	1500W
120V 60Hz	1000W
Product size	245X290X80mm
Gift box size	272X98X332mm
Carton size	560X410X340mm
Packaging	8PCS/CTN
G.W/N.W per carton	11.0KGS/10.0KGS
Container loading	1×20GP=2760PCS 1×40GP=5944PCS 1×40HQ=6968PCS
Certificate	CE/CB/ROHS/ETL



JB-1015

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 155\text{mm} + \Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1015
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W(500W+1000W)
Product size	470X280X80mm
Gift box size	491X98X332mm
Carton size	505X420X340mm
Packaging	4PCS/CTN
G.W/N.W per carton	9.0KGS/8.0KGS
Container loading	1×20GP=1496PCS 1×40GP=3216PCS 1×40HQ=3772PCS
Certificate	CE/CB/ROHS/ETL



JB-3216U

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3216U
220-240V, 50/60Hz	1500W
120V 60Hz	1000W
Product size	475X275X80mm
Gift box size	290X90X297mm
Carton size	380X300X605mm
Packaging	8PCS/CTN
G.W/N.W per carton	10.0KGS/9.0KGS
Container loading	1×20GP=3218PCS 1×40GP=6728PCS 1×40HQ=7888PCS
Certificate	CE/CB/ROHS/ETL



JB-2016U

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 155\text{mm} + \Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-2016U
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W(500W+1000W)
Product size	480X290X80mm
Gift box size	506X90X297mm
Carton size	520X390X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	10.0KGS/9.0KGS
Container loading	1×20GP=1824PCS 1×40GP=3932PCS 1×40HQ=4416PCS
Certificate	CE/CB/ROHS/ETL



JB-3108

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 145\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3108
220-240V, 50/60Hz	1000W
120V 60Hz	750W
Product size	220X250X72.5mm
Gift box size	260X75X281mm
Carton size	470X280X300mm
Packaging	6PCS/CTN
G.W/N.W per carton	6.0KGS/5.0KGS
Container loading	1×20GP=4164PCS 1×40GP=8940PCS 1×40HQ=10482PCS
Certificate	CB/CE/ETL/ROHS



JB-1008

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 145\text{mm} + \Phi 145\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1008
220-240V, 50/60Hz	2000W(1000W+1000W)
120V 60Hz	1500W/1800W
Product size	460X270X73mm
Gift box size	475X75X293mm
Carton size	490X320X313mm
Packaging	4PCS/CTN
G.W/N.W per carton	7.5KGS/6.5KGS
Container loading	1×20GP=2310PCS 1×40GP=4800PCS 1×40HQ=5640PCS
Certificate	CB/CE/ETL/ROHS



JB-3118

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3118
220-240V, 50/60Hz	1000W
120V 60Hz	1000W
Product size	220X203X56mm
Gift box size	245X60X210mm
Carton size	395x220x510mm
Packaging	12PCS/CTN
G.W/N.W per carton	10.5KGS/9.5KGS
Container loading	1x20GP=7452PCS 1x40GP=16008PCS 1x40HQ=18780PCS
Certificate	CB/CE/ROHS



JB-1018

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 140\text{mm} + \Phi 140\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1018
220-240V, 50/60Hz	2000W
120V 60Hz	1500W
Product size	475X255X70mm
Gift box size	495X75X290mm
Carton size	505X320X305mm
Packaging	4PCS/CTN
G.W/N.W per carton	7.8KGS/7.3KGS
Container loading	1x20GP=2192PCS 1x40GP=4702PCS 1x40HQ=5516PCS
Certificate	CB/CE/ROHS



JB-503

- Color option:black
- Single burner plate size: Φ 155mm
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-503
120V 60Hz	1200W
Product size	220X235X80mm
Gift box size	265X94X265mm
Carton size	400X275X550mm
Packaging	8PCS/CTN
G.W/N.W per carton	8.9KGS/7.0KGS
Container loading	1×20GP=3568PCS 1×40GP=7664PCS 1×40HQ=8992PCS
Certificate	ETL



JB-1018M

- Color option: white/silver/black/chromed
- Double burner plate size: Φ 130mm+ Φ 130mm
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1018M
220-240V, 50/60Hz	2000W(1000W+1000W)
120V 60Hz	1500W(500W+1000W)
Product size	457X245X55mm
Gift box size	480X65X285mm
Carton size	430X290X490mm
Packaging	6PCS/CTN
G.W/N.W per carton	10.0KGS/9.0KGS
Container loading	1×20GP=2646PCS 1×40GP=5694PCS 1×40HQ=6672PCS
Certificate	CB/CE/ROHS



JB-3138

- Color option: white/silver/black/chromed
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3138
220-240V, 50/60Hz	1500W
120V 60Hz	1000W
Product size	240X270X70mm
Gift box size	267X82X294mm
Carton size	520X275X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	7.0KGS/6.0KGS
Container loading	1×20GP=3654PCS 1×40GP=7848PCS 1×40HQ=9204PCS
Certificate	CB/CE/ROHS/ETL



JB-1038

- Color option: white/silver/black/chromed
- Double burner plate size: $\Phi 130\text{mm} + \Phi 160\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1038
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W(500W+1000W)
Product size	460X280X80mm
Gift box size	487X82X294mm
Carton size	500X355X305mm
Packaging	4PCS/CTN
G.W/N.W per carton	10.5KGS/9.5KGS
Container loading	1×20GP=1992PCS 1×40GP=4284PCS 1×40HQ=5024PCS
Certificate	CB/CE/ROHS/ETL



JB-501

- Color option:black
- Single burner plate size: Φ 145mm
- Hinged heating element with oxidation of heat pipe
- SUS 304 stainless steel reflector
- Adjustable thermostat control
- Reinforced heating coils
- Non-skid rubber feet keep the unit steady

Model No.	JB-501
220-240V, 50/60Hz	1000W
120V 60Hz	1000W
Product size	220X240X75mm
Gift box size	245X105X260mm
Carton size	502X440X284mm
Packaging	4PCS/CTN
G.W/N.W per carton	4.0KGS/3.0KGS
Container loading	1×20GP=1720PCS 1×40GP=4068PCS 1×40HQ=4308PCS
Certificate	CB/CE/ETL/ROHS



JB-502

- Color option:black
- Double burner plate size: Φ 145mm+145mm
- Hinged heating element with oxidation of heat pipe
- SUS 304 stainless steel reflector
- Adjustable thermostat control
- Reinforced heating coils
- Non-skid rubber feet keep the unit steady

Model No.	JB-502
220-240V, 50/60Hz	2000W(1000W+1000W)
120V 60Hz	1500W(500W+1000W)
Product size	440X230X70mm
Gift box size	465X105X260mm
Carton size	472X436X276mm
Packaging	4PCS/CTN
G.W/N.W per carton	8.0KGS/7.0KGS
Container loading	1×20GP=1900PCS 1×40GP=4084PCS 1×40HQ=4788PCS
Certificate	CB/CE/ETL/ROHS





JB-3120S

- Color option:stainless steel
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3120S
220-240V, 50/60Hz	1500W
120V 60Hz	1000W / 1500W
Product size	288X85X257mm
Gift box size	321X98X290mm
Carton size	613X326X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2610PCS 1×40GP=5520PCS 1×40HQ=6487PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-1020S

- Color option:stainless steel
- Double burner plate size: $\Phi 155\text{mm}+\Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1020S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W/1800W
Product size	520X85X257mm
Gift box size	553X98X290mm
Carton size	568X417X310mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1468PCS 1×40GP=3104PCS 1×40HQ=3648PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3119S

- Color option:stainless steel
- Single burner plate size: $\Phi 155\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3119S
220-240V, 50/60Hz	1500W
120V 60Hz	1000W/1500W
Product size	280X266X70mm
Gift box size	310X295X75mm
Carton size	465X325X315mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=3400PCS 1×40GP=7100PCS 1×40HQ=8280PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-1019S

- Color option:stainless steel
- Double burner plate size: $\Phi 155\text{mm}+\Phi 130\text{mm}$
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1019S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W/1800W
Product size	475X277X77mm
Gift box size	513X319X88mm
Carton size	528X372X339mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1680PCS 1×40GP=3500PCS 1×40HQ=3840PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3122S

- Color option:stainless steel
- Single burner plate size: Φ 155mm
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3122S
220-240V, 50/60Hz	1500W
120V 60Hz	1000W / 1500W
Product size	286X306X82mm
Gift box size	318X100X384mm
Carton size	333X424X400mm
Packaging	6PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=2874PCS 1×40GP=6066PCS 1×40HQ=7134PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-1022S

- Color option:stainless steel
- Double burner plate size: Φ 155mm+ Φ 130mm
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1022S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W/1800W
Product size	506X306X82mm
Gift box size	538X100X384mm
Carton size	552X423X400mm
Packaging	4PCS/CTN
G.W/N.W per carton	
Container loading	1×20GP=1156PCS 1×40GP=2240PCS 1×40HQ=2686PCS
Certificate	CB/CE/ETL/ROHS/ERP



JB-3138S

- Color option:stainless steel
- Single burner plate size: Φ 155mm
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-3138S
220-240V, 50/60Hz	1500W
120V 60Hz	1000W
Product size	240X270X70mm
Gift box size	267X82X294mm
Carton size	520X275X310mm
Packaging	6PCS/CTN
G.W/N.W per carton	7.0KGS/6.0KGS
Container loading	1×20GP=3654PCS 1×40GP=7848PCS 1×40HQ=9204PCS
Certificate	CB/CE/ROHS



JB-1038S

- Color option:stainless steel
- Double burner plate size: Φ 130mm+ Φ 160mm
- Spiral heating element
- Adjustable thermostat control
- With indicator light
- Non-skid rubber feet keep the unit steady

Model No.	JB-1038S
220-240V, 50/60Hz	2500W(1000W+1500W)
120V 60Hz	1500W(500W+1000W)
Product size	460X280X80mm
Gift box size	487X82X294mm
Carton size	500X355X305mm
Packaging	4PCS/CTN
G.W/N.W per carton	10.5KGS/9.5KGS
Container loading	1×20GP=1992PCS 1×40GP=4284PCS 1×40HQ=5024PCS
Certificate	CB/CE/ROHS





JB-B01

- Color:Black
- With wire grill
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch
- Automatic cut-off
- Adjustable cooking temperature

Model No.	JB-B01
220-240V, 50/60Hz	2200W
120V, 60Hz	1600W
Product size	345X370X80mm
Gift box size	528X134X386mm
Carton size	556X543X406mm
Packaging	4PCS/CTN
G.W/N.W per carton	12.5KGS/11.5KGS
Container loading	1×20GP=880PCS 1×40GP=1860PCS 1×40HQ=2180PCS
Certificate	CE/CB/GS/ETL/FDA/LFGB



JB-B01J

- Color:Black
- With wire grill and holder
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch
- Automatic cut-off
- Adjustable cooking temperature

Model No.	JB-B01J
220-240V, 50/60Hz	2200W
120V, 60Hz	1600W
Product size	550X370X700mm
Gift box size	650X390X120mm
Carton size	660X405X490mm
Packaging	4PCS/CTN
G.W/N.W per carton	18.0KGS/17.0KGS
Container loading	1×20GP=824PCS 1×40GP=1740PCS 1×40HQ=2044PCS
Certificate	CE/CB/GS/ETL/FDA/LFGB



JB-B03K

- Color:Black
- With Aluminum plate
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch
- Automatic cut-off
- Adjustable cooking temperature

Model No.	JB-B03K
220-240V, 50/60Hz	1600W
120V, 60Hz	1600W
Product size	500X345X80mm
Gift box size	528X134X386mm
Carton size	556X543X406mm
Packaging	4PCS/CTN
G.W/N.W per carton	15.5KGS/14.5KGS
Container loading	1×20GP=880PCS 1×40GP=1860PCS 1×40HQ=2180PCS
Certificate	CE/CB/GS/ETL/FDA/LFGB



JB-B03KJ

- Color:Black
- With Aluminum plate and holder
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch
- Automatic cut-off
- Adjustable cooking temperature

Model No.	JB-B03KJ
220-240V, 50/60Hz	1600W
120V, 60Hz	1600W
Product size	974X356X900mm
Gift box size	535X145X490mm
Carton size	545X445X515mm
Packaging	3PCS/CTN
G.W/N.W per carton	20.5KGS/19.5KGS
Container loading	1x20GP=648PCS 1x40GP=1368PCS 1x40HQ=1608PCS
Certificate	CE/CB/GS/ETL/FDA/LFGB



JB-B03W

- Color:Black
- With wire grill
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch
- Automatic cut-off
- Adjustable cooking temperature

Model No.	JB-B03W
220-240V, 50/60Hz	2200W
120V, 60Hz	1600W
Product size	500X345X80mm
Gift box size	528X134X386mm
Carton size	556X543X406mm
Packaging	4PCS/CTN
G.W/N.W per carton	13.5KGS/12.5KGS
Container loading	1×20GP=880PCS 1×40GP=1860PCS 1×40HQ=2180PCS
Certificate	CE/CB/GS/ETL/FDA/LFGB



JB-B03WJ

- Color:Black
- With wire grill and holder
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch
- Automatic cut-off
- Adjustable cooking temperature

Model No.	JB-B03WJ
220-240V, 50/60Hz	2200W
120V, 60Hz	1600W
Product size	974X356X900mm
Gift box size	535X145X490mm
Carton size	545X445X515mm
Packaging	3PCS/CTN
G.W/N.W per carton	20.5KGS/19.5KGS
Container loading	1×20GP=648PCS 1×40GP=1368PCS 1×40HQ=1608PCS
Certificate	CE/CB/GS/ETL/FDA/LFGB



JB-B06W

- Color:Black
- With wire grill
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch
- Automatic cut-off
- Adjustable cooking temperature

Model No.	JB-B06W
220-240V, 50/60Hz	2200W
120V, 60Hz	1600W
Product size	492X357X75mm
Gift box size	490X357X80mm
Carton size	520X390X112mm
Packaging	4PCS/CTN
G.W/N.W per carton	14.5KGS/13.5KGS
Container loading	1x20GP=1104PCS 1x40GP=2336PCS 1x40HQ=2748PCS
Certificate	CE/CB/GS/ETL/FDA/LFGB



JB-B06WJ

- Color:Black
- With wire grill and holder
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch
- Automatic cut-off
- Adjustable cooking temperature

Model No.	JB-B06WJ
220-240V, 50/60Hz	2200W
120V, 60Hz	1600W
Product size	490X357X800mm
Gift box size	530X428X120mm
Carton size	540X438X495mm
Packaging	4PCS/CTN
G.W/N.W per carton	25.0KGS/24.0KGS
Container loading	1x20GP=920PCS 1x40GP=944PCS 1x40HQ=2288PCS
Certificate	CE/CB/GS/ETL/FDA/LFGB



JB-B04

- Color:Black
- With Aluminum plate and nature marble
- Thermostat control, indicator lighter
- Easy-clean finished
- With safety micro switch

• A Model No.	JB-K608
• A 220-240V, 50/60Hz	1200W
120V,60Hz	1200W
Product size	
Gift box size	390X180X370mm
Carton size	735X400X385mm
Packaging	4PCS/CTN
G.W/N.W per carton	11.5KGS/10.3KGS
Container loading	1×20GP=1012PCS 1×40GP=2060PCS 1×40HQ=2368PCS
Certificate	CB/CE/GS/ROHS/REACH/ LFGB



JB-K01

- Color:Black
- Elegant table grill with removable glass lid
- Glass lid as spray protection with safety lock
- Low-fat: oil runs into a collector bowl
- Detachable die cast plate is dishwasher safe

• C Model No.	JB-K601
• C 220-240V, 50/60Hz	600W-800W
• E 120V,60Hz	600W-800W
Product size	472X230X142mm
Gift box size	283x150x275mm
Carton size	465x295X570mm
Packaging	6PCS/CTN
G.W/N.W per carton	10.5KGS/9.5KGS
Container loading	1×20GP=2244PCS 1×40GP=4602PCS 1×40HQ=4968PCS
Certificate	CB/CE /GS/ROHS/REACH/ LFGB



Model No.	JB-B04
220-240V, 50/60Hz	1200-1400W
120V, 60Hz	1200-1400W
Product size	430*220*141mm
Gift box size	495X265X185mm
Carton size	505X380X545mm
Packaging	4PCS/CTN
G.W/N.W per carton	19.0KGS/18.0KGS
Container loading	1x20GP=1048PCS 1x40GP=2196PCS 1x40HQ=2580PCS
Certificate	CE/CB/GS/ROHS/REACH/ LFGB



Model No.	JB-K01
220-240V, 50/60Hz	2200W
120V,60Hz	1500W
Product size	525X382X110mm
Gift box size	550X415X125mm
Carton size	560X425X515mm
Packaging	4PCS/CTN
G.W/N.W per carton	22.0KGS/21.0KGS
Container loading	1x20GP=896PCS 1x40GP=1876PCS 1x40HQ=2200PCS
Certificate	CB/CE/GS/ROHS/REACH/ LFGB

