



**2023**  
***New Product***



YL-3001



YL-3001H



YL-3001S

**NEW**  
PRODUCT

## Accessories

- 400W optional
- AC110V-120V/AC220-240V 50/60Hz
- On/off button with safety switch
- Stainless steel blade
- Double stainless steel blade optional
- 1800ml glass bowl
- All accessories dishwasher safe





YL-3002



YL-3002H



YL-3002S

**NEW**  
PRODUCT

## Accessories

- 400W optional
- AC110V-120V/AC220-240V 50/60Hz
- On/off button with safety switch
- Stainless steel blade
- Double stainless steel blade optional
- 1800ml glass bowl
- All accessories dishwasher safe





YL-3003



YL-3003H



YL-3003S

**NEW**  
PRODUCT

## Accessories

- 400W optional
- AC110V-120V/AC220-240V 50/60Hz
- On/off button with safety switch
- Stainless steel blade
- Double stainless steel blade optional
- 1800ml glass bowl
- All accessories dishwasher safe





**NEW  
PRODUCT**

## YL-9001

- Power: 90W
- AC110-120V/AC220-240V 50/60Hz
- Stainless steel 430 housing
- Helpful handle
- No Capacity
- Adjustable S.S filter
- Stainless steel spout with anti-drop function
- Detachable parts for easy operating & cleaning.







YL-2017A



YL-2017B



YL-2017C

**NEW**  
PRODUCT

- Power:200W / 300W / 400W / 500W / 600W
- DC110-120V/DC220-240V 50/60Hz
- DC motor, low noise
- Two speed operation, with variable speed
- ABS handle, Release button
- Stainless steel blade, detachable stainless steel rod(S.S304#)
- GS, CE, UL, ROHS, LFGB, REACH, PAHS, EMC, ERP, CB

## Accessories



Blade 01



Blade 02



Blade 03



YL-2018A



YL-2018B

## Accessories



Blade 01



Blade 02



Blade 03



YL-2018C



YL-2018D

- Power:600W / 700W / 800W / 900W / 1000W / 1200W
- DC110-120V/DC220-240V 50/60Hz
- DC motor, low noise
- Two speed operation, with variable speed
- ABS handle, Release button
- Stainless steel blade, detachable stainless steel rod(S.S304#)
- GS, CE, UL, ROHS, LFGB, REACH, PAHS, EMC, ERP, CB

**NEW**  
PRODUCT



## YL-7001

- Power: 350Watt
- 110-120V/220-240V 50/60Hz
- Non-stick coating plate
- Indicator light controlled by thermostat
- Cool-touch housing
- Plate type:Plate /Waffle/waffle+skeleton head





**NEW**  
PRODUCT



## YL-7002

- Power: 750Watt
- 110-120V/220-240V 50/60Hz
- Non-stick coating plate
- Two pilot lights controlled by thermostat
- Cool-touch housing
- Plate type:waffle



Grill



Sandwich



Waffle

**NEW  
PRODUCT**



## YL-7003

- 100-240V 50/60Hz 420W
- Gift box dimension:162\*110\*210mm
- Export carton dimension:345\*340\*440mm
- 12PCS/CTN
- 20'/40'/40HQ:6540/13500/15840PCS



**NEW  
PRODUCT**



## YL-7005

- 100-240V 50/60Hz 750W
- Gift box dimension:178\*120\*230mm
- Export carton dimension:550\*255\*480mm
- 12PCS/CTN
- 20'/40'/40HQ:5040/10380/12180PCS



**NEW**  
PRODUCT



## YL-7006

- 100-240V 50/60Hz 750W
- Gift box dimension:263\*136\*277mm
- Export carton dimension:426\*278\*576mm
- 6PCS/CTN
- 20'/40'/40HQ:2622/5436/6348PCS



Grill



Sandwich



Waffle



## YL-8001

- PP or PC or SS cover, SS heater
- Buzzer alarm
- Max.capacity:7 pcs
- 100-240v 50/60Hz 360W
- Gift box:158\*158\*164mm
- Carton:490\*330\*505mm
- 18PCS/CTN
- G.W.:12.20Kgs
- N.W.:11.20Kgs
- 20'/40'/40HQ:6480/13500/15000PCS
- Approve:CE/GS



## YL-8002

- PP or PC or SS cover,SS heater
- Buzzer alarm
- Max.capacity:7 pcs
- 100-240v 50/60Hz 360W
- Gift box:158\*158\*164mm
- Carton:490\*330\*505mm
- 18PCS/CTN
- G.W.:12.20Kgs
- N.W.:11.20Kgs
- 20'/40'/40HQ:6480/13500/15000PCS
- Approve:CE/GS





## YL-8005

- PP or PC cover, SS heater
- Buzzer alarm
- Max.capacity:5 pcs
- 100-240v 50/60Hz 360W
- Gift box:148\*148\*150mm
- Carton:460\*310\*467mm
- 18PCS/CTN
- G.W.:10.00Kgs
- N.W.:9.50Kgs
- 20'/40'/40HQ:7578/15660/18396PCS



## YL-8006

- PP or PC cover, SS heater
- Buzzer alarm
- Max.capacity:6 pcs
- 100-240v 50/60Hz 400W
- Gift box:195\*145\*140mm
- Carton:600\*305\*300mm
- 12PCS/CTN
- G.W.:10.00Kgs
- N.W.:9.50Kgs
- 20'/40'/40HQ:6120/12720/14880PCS



ELECTRICAL APPLIANCE



## YL-1001

PC cover,PP body,On/Off switch

100-240V 50/60Hz 550W

Gift box dimension:220\*220\*148mm

Export carton dimension:675\*455\*316mm

12PCS/CTN

20'/40'/40HQ:3480/7200/8412PCS

